


Thermometer and Hygrometer


Model: ITH-20

1. Know the Thermometer and Hygrometer

- Front view




- Back view



2.Function Parameter

- Dimensions: 64mmx75mmx20mm
- Weight:47g
- Battery: 2xAAA Batteries
- Real-time temperature and humidity display, MAX/MIN displays on the same screen
- Temperature Measurement Range:
-10°C ~ 50°C (14°F ~ 122°F)
- Humidity Measurement Range: 10% ~ 99%
- Temperature Display Accuracy: 0.1°C (0.1°F)
- Temperature Measurement Accuracy: $\pm 1.0^{\circ}\text{C}$
- Humidity Measurement Accuracy: $\pm 5\%$
- Humidity Display Accuracy: 1%
- Temperature and humidity sampling period: 10 seconds
- Out of range display "HH.H" or "LL.L" ,sensor Error, display "-- -- .--"
- LCD can be turned off
- Warranty: 1 year

3.Button Icon Description



CLEAR: Clear MAX/MIN Memory Value

C/F: Temperature Unit Switching

LCD ON/OFF: LCD ON/OFF

4. Degree of comfort

- (DRY): Relative humidity below 40% RH at any temperature
- (COMFORT): The temperature range is (20 ~ 30)°C
the relative humidity is (40 ~ 70)% RH
- (WET): Relative humidity above 70% RH at any temperature

INKBIRD TECH.C.L

- ✉ Support@ink-bird.com
- 🌐 www.ink-bird.com
- ☎ +86-755-25738050
- 📍 Shenzhen, GD, 518000, China

